

**MILCHMOBIL+
MAKING MILK MOBILE.**



**NEW:
INTEGRATED CLEANING
& 120 LITER VERSION**



YOUR SMART HELPER IN THE BARN

„We are very satisfied with our MilchMobil+. It saves us a lot of time and effort.“
Monika Härle, Ostrach



Förster-Technik's MilchMobil+ is a convenient, sturdy solution that makes supplying feed to calves in individual pens or igloos easier, saving you lots of time and work.

With MilchMobil+, the feed mixing, heating, transporting and dosing processes go much smoother and faster. MilchMobil+ by Förster-Technik is ideally suited for a variety of different farming operations – available in 120 and 200 liter versions.

Dosing

A high-performing pump ensures precise dosages for all feed types (milk substitute, milk and yogurt).



User-friendly set-up for easy operation

Control unit

The user-friendly control unit allows you to program dosages, set heating times and calculate portions. Up to six portion sizes can be saved and quickly selected for feeding. A timer allows you to prepare the feed at the times you choose.

Drive system

An electric motor and large pneumatic wheels make transporting even large feed amounts a simple matter.



Sturdy drive system for stable motion

Tank lid

An easy-to-clean, stainless steel tank lid ensures optimal hygiene.



Stable in motion, easy to fill

The horizontal tank affords ergonomic filling. Four wheels and a low center of gravity make MilchMobil+ highly stable in motion.



Feed stays warm longer

A heated water bath gently warms the milk and stores warmth as well so calves get the feed at the right temperature.



Hygienic & time-saving

An integrated rotating cleaning nozzle cleans the tank in a few easy steps with the push of a button, so MilchMobil+ is ready to go again in no time.



Secure transport, simple monitoring

A swiveling LED lamp mounted on MilchMobil+ illuminates the motion path and calf pens, keeping your calves securely in view at all times.


Technical Data

Models	MilchMobil+ 200 L	MilchMobil+ 120 L
Combined trolley	150 x 80 x 120	130 x 80 x 120

Dimensions: Length x width x height in cm

Components	MilchMobil+ 200 L & 120 L
Mixer	0.37 kW / 230 V
Heating	4.5 kW / 400 V
Lead gel battery	24 V / 50 Ah (2 x 12 V / 50 Ah)
Portion control	24 V / max. 8 A
Drive system	24 V
Central power supply	400 V / 50 Hz

MilchMobil+ comes standard-equipped with mixer, heater, tank cleaning nozzle, user interface, portion control, drive system and LED lamp.



Förster-Technik GmbH

Gerwigstr. 25
 D-78234 Engen
 Tel.: +49 (0) 7733 9406-0
 Fax: +49 (0) 7733 9406-99
 E-mail: info@foerster-technik.de
 Internet: www.foerster-technik.de

Technical changes reserved (as of 11/2014).
 101956 brochure MilchMobil+ English



**FÖRSTER
 TECHNIK®**
Automatisch besser.